

2024 USA & CANADA PRICE LIST

Effective May 01, 2024

Retail pricing only. All prices in USD.



FIRE**COM**[®]

firecom.com | 800.527.0555

COMMON SYSTEM CONFIGURATIONS

2-User Wireless System

DRIVER UHW505.V2 or UHW507.V2

OFFICER FR-Connect or FHW507.V2



RECOMMENDED FOR:



EMS



WILDLAND



INCIDENT COMMAND

**for exterior use only*

4-User Wireless System

DRIVER UHW505.V2 or UHW507.V2

OFFICER FHW505.V2 or FHW507.V2

CREW UHW503.V2's



RECOMMENDED FOR:



ENGINES



HEAVY RESCUE



HAZMAT RESPONSE



MARINE

**for exterior use only*

COMMON SYSTEM CONFIGURATIONS

6-User Wireless System



RECOMMENDED FOR:



AERIAL

2 Instructor + 6 Student Wireless System



RECOMMENDED FOR:



EDUCATION AND TRAINING

A PORTABLE CLASSROOM. Configure a Firecom training system with a wireless ComHub and Pelican charging case and take it anywhere.

CONNECT LARGE GROUPS OF STUDENTS. Instructors talk to students in hands-free, full-duplex conversation. Student headsets are set to listen-only mode, letting them hear everything the instructors say. When a student has a question, he or she presses the PTT button to 'transition' to one of the open talk positions on the WB505R. Release the PTT button, and the student moves back into listen-only mode.

**for exterior use only*

WIRELESS BASE STATIONS

WB505R.V2: Single and multi-user features in one base station

DECT7 technology combines the capabilities of both a single and multi-user base station into this wireless base.

CONNECTIONS

Up to five DECT6 or DECT7 full-duplex headsets per base.

DECT7 TECHNOLOGY

High definition audio lets users hear each other clearly and understand mission critical communications.

EXTERNAL ANTENNA

Extend the coverage area of your Firecom wireless base with external antennas that allow flexible placement on the apparatus.

HEADSET TO MULTI-BASE STATION

Move between rigs and connect to nearby crews using the new Headset to Multi-Base Station feature. Pair your 500-Series Wireless Headset with up to four WB505R Wireless Base Stations.

TRAINING

Class is in session for up to 100 listen-only students on a single base station. Up to 3 full-duplex instructor positions. Students transition to open talk positions with PTT.

#WB505R.V2

\$1,375.00 USD



DECT7 wireless WB505R Wireless Base Station



DC power, radio transmit and intercom connections



Accessory antenna and USB connections
Duck antenna included

Accessories

Item	Part No.	Price USD
Replacement Duck Antenna	521-0014-00	\$119.95
Magnet Mount Antenna, 12 ft.	114-0139-00	\$195.00
Permanent Mount Antenna, 17 ft.	114-0138-00	\$275.00
Replacement Wireless Base Station Mounting Kit, Gen3	114-0127-00	\$10.95
Replacement 12V charging cable	114-0129-00	\$49.95
Replacement RJ45 with 16 ft. cable (WB505X to 5x00D)	114-0128-00	\$21.95
Wall Power Supply, WB505X, 500mAh, 12V	321-0007-00	\$32.95

ComHub Accessories

Power Supply, ComHub SCH305/SCH310, 12V, 2.0A	114-0146-00	\$109.95
ComHub Bag Assembly with coated hanger hook	114-0064-00	\$110.00
Replacement Coated Hanger Hook for ComHub Bag	452-0007-00	\$32.95



Magnetic mount accessory antenna

PORTABLE WIRELESS SYSTEMS

3, 5, or 10-User Portable Wireless Systems

READY TO RESPOND — ANYWHERE.

Whether you're equipping a brush truck or bringing hands-free communication to your training scenarios, vehicle extrications or scene assessments, Firecom's portable wireless systems are easy to use and ready to serve.

Three or five Firecom 500-Series wireless headsets and a battery-powered portable ComHub™ are enclosed in a waterproof Pelican™ charging case for easy transportation and storage. The ComHub interfaces with virtually any two-way radio using a Firecom Portable Radio Adapter cable. Systems include all necessary chargers and components.

FULL SYSTEM OPTIONS:

- 3, 5, or 10 Firecom DECT7 Wireless Headset models FHW507, UHW507.V2, FHW505.V2 or UHW505.V2 or 2 Firecom Connect units and 3 Firecom DECT7 Wireless Headsets.
- SCH305.V2 or SCH310.V2 ComHub - A portable, battery-operated wireless base station that connects up to five Firecom wireless headsets.
- Pelican Charging Case with built-in wiring harness for in-case charging of all wireless components (Firecom Connect or headsets) through one convenient connection.



Features and Pricing

Part No.	Description	Price USD
FRC-CC3	3-User Charging Case for 500-Series	\$895*
FRC-CC5	5-User Charging Case for 500-Series	\$1,095*
FRC-CC10	10-User Charging Case for 500-Series	\$1,495*
FRC-CCCH-5	5-User (2 Firecom Connect & 3 Firecom Headsets) Charging Case	\$1,095*
SCH305.V2	5-User, full-duplex wireless ComHub	\$2,595
SCH305-BT.V2	5-User, full-duplex wireless ComHub with Bluetooth	\$2,750
SCH310.V2	10-User, full-duplex wireless ComHub	\$3,395
SCH310T.V2	10-User, full-duplex wireless ComHub with Tethered Port	\$3,625



SPLIT PUSH-TO-TALK
Transmit over either an intercom-connected radio and/or a direct-wire portable radio right from the headset. Monitor fire ground and dispatch communications.

500-SERIES WIRELESS HEADSETS

DECT7
wireless



UHW507.V2
Radio Transmit Under-Helmet Bluetooth Wireless Headset



CONVERSION FACTOR

The FHW507.V2 and FHW505.V2 convert easily for either overhead or under-helmet wear.

Built to perform

Firecom's 500-Series Wireless Headsets raise the bar for comfort, durability and performance.

IMPROVED HEARING PROTECTION

All 500-Series Wireless Headsets now feature an increased Noise Reduction Rating of 24dB.

DECT7 TECHNOLOGY

Unmatched clarity lets crew members hear and understand critical communications.

MORE COMFORTABLE

Ball pivot joints and less overall side force give less head pinch while maintaining hearing protection.

AUTO-ON

When you're rolling, Firecom is ready. The headset powers on and connects within 6 seconds of removing from the charging cable.

RUGGED AND DURABLE

Rigorously tested under the kind of conditions you experience every day.

FEATURE CONTROL

Use the Configuration Utility to enable and disable features and create custom configurations.

Stereo listen-through for improved situational awareness

SAY WHAT?! Turn on the 500-Series' stereo listen-through microphones and you'll hear others without removing the hearing protection. Listen-through volume control is independent of intercom and radio volume.



Portable radio adapter cables

Stay connected to command or dispatch by connecting your portable radio directly to a 500-Series Wireless Headset with a Firecom Portable Radio Cable (sold separately).

For a list of Firecom Portable Radio Cables, visit firecom.com/products/accessories/portable-radio-adapters

Features and Pricing

Model	Overhead or Under-Helmet	DECT7	Bluetooth	Direct Wire Radio	Listen-Through	Radio Transmit	Configure for Intercom Only	Talk Time	Price (USD)
FHW507.V2	Both (convertible)	✓	✓	✓	✓	✓	✓	24 hrs.	\$1,045
UHW507.V2	Under-Helmet	✓	✓	✓	✓	✓	✓	24 hrs.	\$1,045
FHW505.V2	Both (convertible)	✓		✓	✓	✓	✓	24 hrs.	\$945
UHW505.V2	Under-Helmet	✓		✓	✓	✓	✓	24 hrs.	\$945
UHW503.V2	Under-Helmet	✓		✓			✓	24 hrs.	\$945

Silicone Ruggedizers



Colors shown: \$21.95 USD per pair

Custom colors available with a minimum order of 50 pairs. Allow 8-10 weeks for delivery.

With 14 colors today and more to come, we've made it easy to designate colors for specific roles and increase visibility among all crew members. A simple way to add extra impact and abrasion resistance. Installs and cleans easily. All colors \$21.95 USD per pair.

 Black* #114-0131-00	 Safety Yellow #114-0134-00	 Pink #114-0153-00
 Blue #114-0137-00	 Safety Orange #114-0133-00	 White #114-0149-00
 Red* #114-0132-00	 Safety Pink #114-0147-00	 Tan #114-0156-00
 Forest Green #114-0148-00	 Glow-in-the-Dark #114-0136-00	 Gray #114-0155-00
 Green #114-0135-00	 Purple #114-0154-00	

*Red is the standard on all 507.V2 & 505.V2 headsets. Black is standard on all 503.V2 headsets

Accessories

Item	Part No.	Price USD
Lithium-Ion 3400mAh Replacement Battery	114-0141-00	\$45.00
Wall Power Supply 12V, 500mA	321-0007-00	\$32.95
Charger Cable Assembly, heavy duty, unterminated	108-0087-00	\$24.95
Headset Tool	473-0006-00	\$4.95
Inner Dome Foam Set (pair)	114-0142-00	\$10.95
FHW50X Replacement Headband - AR	114-0196-00	\$38.95
Under Helmet Headband Strap (hook and loop)	108-0025-00	\$16.95
UHW50X Headband Plastic Ends, Pair, Original Headband	114-0180-00	\$16.95
UHW50X Headband Plastic Ends, Pair, AR Headband	114-0181-00	\$16.95



FIRECOM CONNECT



Optional Firecom Connect Charging Case

CLEAR COMMUNICATION WHEN SECONDS COUNT

Lightweight, portable and watertight, **Firecom Connect** allows you to incorporate a wired or Bluetooth headset for hands-free communication with your team. Whether in the ambulance or incident command vehicle, reduce communication errors and delays with **Firecom Connect**.

HANDS-FREE, FULL-DUPLEX COMMUNICATION

Easily talk with your team while keeping your hands on your work.

BRING YOUR OWN HEADSET

A flexible solution that allows you to leverage your standard operating equipment - whether a wired or Bluetooth headset or headphones.

DECT WIRELESS TECHNOLOGY

Superior audio and digital security without interference.

POWER & RANGE

Ready when and where you need it most with 24 hours of battery life and 800 feet of range.

RADIO INTEGRATION

Extend your reach by seamlessly integrating the Firecom Connect with your two-way radio and Firecom system.

AUTO NOISE GATE

Firecom Connect automatically sets the optimum mic reduction setting by continuously adjusting the noise gate.

Pricing & Accessories

Item	Model/Part No.	Price USD
Firecom Connect*	FR-CONNECT	\$795.00
Connect Corded Headset, Poly Blackwire	114-0206-00	\$131.95
Firecom Connect Pouch	114-0166-00	\$76.95
Connect Belt Clip	108-0070-00	\$98.95
Wall USB Power Supply & USB-C Cable Kit	114-0172-00	\$32.95
Car Charger, USB-C cable Kit	103-0120-00	\$32.95
Magnet, Clasp, Assembly	108-0095-00	\$19.95

*Requires 3rd party headset (Bluetooth or wired).



DIGITAL INTERCOMS



5400D Digital Intercom

The Palm-Sized Command Center

Connect up to 40 wireless headsets and up to four radios to enable simultaneous communication with mutual aid or other agencies. This improves operational efficiencies and responder safety.

Customizable to accommodate new or existing radio and intercom configurations, interfaces up to four auxiliary devices including cell phones, and is 100% retrofit compatible with existing Firecom installations.

Features and Pricing

Model	Headset and/or Wireless Base Connections	Radio Connections	Auxiliary I/O Connections	Price USD
5400D	10	4	4	\$2,195
5400DRH				\$495
5300D	10	3	3	\$1,880
5300DRH				\$440
5200D	8	2	2	\$1,450
5200DRH				\$385
5100D	6	1	1	\$1,095
5100DRH				\$330



5400DRH Remote Head
Extends intercom controls up to 1,000 feet. IP67 rated.

Analog Intercoms



110 and 210 Radio Interface Modules combine a single mobile radio interface port with either a single or two-position radio-transmit headset intercom system. 12V nominal power supply.



110 Radio Interface with a single headset or base station connection.
#106-0270-10 \$270 USD

210 Radio Interface, dual headset, two-person radio-transmit intercom system
#106-0271-10 \$490 USD

Accessories

Item	Part No.	Price USD
HM-10 Headset Module - Single	107-0407-10	\$70.00
HM-30 Pump Panel Module - 75 ft. cable	107-0425-75	\$140.00
Crimping Tool - 6p/4c and 6p/6c modular	108-0023-00	\$59.95
Cable 6c Flat - 150 ft. spool	108-0102-00	\$59.95
DM-1 Switch Box Assembly - Dash-mount PTT	108-0305-00	\$75.00
Foot Switch FS-1	108-0670-10	\$195.00
5x00D AUX Adapter to 3.5 mm stereo cable (male)	108-0058-00	\$21.95
5x00D AUX Adapter to AUX 4 conductor Jack	108-0059-00	\$21.95
5x00D AUX Adapter to 2.5 mm cable (male)	108-0064-00	\$21.95
5x00D Digital Intercom Remote Head Splitter, 2 to 1	108-0066-00	\$59.95
Mounting Bracket Assembly Kit for 5x00DRH	108-0303-00	\$74.95
Intercom DC Power Cable Assembly, 6FT, 5000 Series, 3010, 3000C	420-0001-00	\$49.95



HM-30 Pump Panel Module

50-SERIES WIRED HEADSETS

The rugged performance you depend on

When firefighters are on a call, even one garbled message can spell trouble. That's why hundreds of thousands of emergency responders depend on Firecom for clear communication under the most challenging conditions. Firecom headsets deliver reliable communication and unmatched hearing protection - sirens and unmuffled exhaust are no match for Firecom's 24dB noise reduction rating on wired hearing protection headsets.

Features and Pricing

Model	Overhead or Under-Helmet	Radio	Situational Awareness	Intercom	Price USD
UH-51	Under-helmet	PTT transmit		Hands-free	\$360
UH-51S	Under-helmet	PTT transmit	1 Slotted Ear Dome	Hands-free	\$360
FH-51	Overhead	PTT transmit		Hands-free	\$355
FH-51S	Overhead	PTT transmit	Single-Ear	Hands-free	\$355
UH-52	Under-helmet	Listen-only		PTT	\$360
FH-52	Overhead	Listen-only		PTT	\$355
UH-54	Under-helmet	Listen-only		Toggle	\$360
FH-54	Overhead	Listen-only		Toggle	\$355

Accessories

Item	Part No.	Price USD
Acoustic Foam — 3-piece set	108-0027-00	\$13.95
Ear Seal Cloth Covers, Qty. 12 pair	108-0003-00	\$32.95
Ear Seal ComLeather, Qty. 1 pair	108-0089-00	\$43.95
Ear Seal PVC, Qty. 1 pair	108-0088-00	\$21.95
Hanger Hook Headset — black	520-0676-00	\$6.95
Hanger Hook NFPA Compliant Behind Head or Under Helmet ONLY — yellow	108-0678-00	\$10.95
HE-150 Glove-Rugged Coil Cord Extension Cable	108-0675-15	\$105.00
Headstrap Adjustable Headband - UH	108-0025-00	\$16.95
Hygiene Kit—ComLeather 12 Pair Ear Seals, 24 O-Rings, and 24 Mic Muffs	108-0108-00	\$225.00
Hygiene Kit — PVC12 Pair Ear Seals,12 Pair Cloth Covers, 24 O-Rings, and 24 Mic Muffs	108-0029-00	\$119.95
Mic Muff with O-Ring Standard Size, Qty. 12	108-0004-00	\$19.95



UH-51 Wired Headset



FH-51 Wired Headset



UH-51S Wired Headset

MOBILE RADIO CABLES

Connect mobile radios from virtually any manufacturer. Below are common Firecom cables and the most frequently used Mobile Radio Interface cables.

For a complete list of available cables, please see our Mobile Radio Guide on the Firecom website, or give us a call.

www.firecom.com/mri


Radio Manufacturer	Compatible Models	Firecom Part No.	\$Price USD
Unterminated	MR-0X Unterminated Mobile Radio Interface Cable	110-5101-30	\$25
Extension	5 ft. - extends standard 4 ft. MR cable to 9 ft.	108-0084-00	\$30
	10 ft. - extends standard 4 ft. MR cable to 14 ft.	108-0085-00	\$35
	15 ft. - extends standard 4 ft. MR cable to 19 ft.	108-0086-00	\$40
PR-Cable	5 Conductor Adapter, Firecom Wireless Headset adapter with HM-10/HM-30 plug	PR-FRC	\$90
Bendix King	15-pin EMH, EMV, LMH, GMH, DMH	MR-43X 110-5114-30	\$215
Harris	Transceiver 44 pin acc. port, without option cable M7300, XG100-M, MR-63X	110-5163-30	\$215
	Unity Radio	A00-0530-00	\$215
	MR-80X, Harris M7100, M7300, CH-721 Remote	110-5180-30	\$215
Icom	A110, F121, F221, F320, F420, F520, F521, F620, F621, F1020, F1721, 1721D, 1821, 1821D, F2020, 2721, 2721D, 2821, 2821D, F5021, 6021, F5061, 6061, F9511S, 9511T, 9521	MR-49X 110-5134-30	\$215
Kenwood	KRK-5DH, 6DH, 7DH, 8DH with remote head, TK-5710 / 5810 / 5910 with remote head, TK-690,790, 890, including dual band through 12 pin accessory port	MR-47X 110-5131-30	\$215
	TK-690,790, 890 through 25 pin accessory port	MR-55X 110-5139-30	\$215
	NX-700 / NX-800 thru mic port, TK-5720 / 5820 / thru mic port, TK-6100 / 6110 thru mic port, TK-7150, 7160, 7180, 7302, 7360 thru mic port, TK-760, 762, 860 with 8 pin mic, TK-780, 880, 980, TK-8150, 8160, 8180, 8302, 8360 thru mic port, TM-D710A	MR-48X 110-5132-30	\$215
	TK-690,790, 890 through 25 pin accessory port	MR-65X 110-5165-30	\$215
	APX 6500, APX 7500, PM 1500, XTL-1500, XTL-2500, XTL-5000, 1306 mount	MR-52X 110-5136-30	\$245
Motorola	CM-140, CM-160, CM-200, CM-300, GM-300, GM-350, GM-950, iDEN Hand Mics, LCS 2000, LM-3000E, M100, M200, M206, M208, M214, M216, MaxTrac 100, MaxTrac 300, MaxTrac 50, MaxTrac, MCS2000, MCS2000, MTVA, PM-1200, PM-400, Radius M100, Radius M120, Radius M206, Radius M208, Radius M214, Radius M216, Radius SM120	MR-2X 110-5107-30	\$215
	CDM Pro Series, CDM Series, GTX, LCS-2000, M1225, M206, M208, M214, M216, MaxTrac Dash, Radius GM300, Radius Dash, CM-200, CM-300, GM-300, GM-350, GM-950, M100, M200, PM-1200, PM-400, SM120 Dash and remote mount with 1 or 2 heads (Through accessory port)	MR-8X 110-5112-30	\$215
	MOTOTRBO, APX2000, APX6000, APX7000, APX7000SE, DP3400, DP3401, DP3600, DP3601, DP4400, DP4401, DP4600, DP4601, DP4800, DP4801, DGP4150, DGP5050, DGP5550, DGP6150, DGP8050, DGP8550, MTP850 S, MTP830 S, XPR 6100, XPR 6300, XPR 6350, XPR 6380, XPR 6500, XPR 6550, XPR 6580, XPR 7350, XPR 7380, XPR 7550, XPR 7580, XiR P8620, XiR 8628. Coiled Cable.	A00-0445-00	\$325
	XPR4300, XPR4350, XPR4500, XPR4550	MR-59X 110-5143-30	\$215

WARRANTY AND SERVICE

Monday – Friday | 6:30am – 5:00pm PST
800-527-0555 | firecom.com/customer-support

Firecom stands behind its innovative products with a two-year limited warranty:

- Products are warranted to be free of manufacturing defects for two years from date of purchase.
- Warranty applies only to a new product that has been sold through authorized channels.
- All work must be performed by Firecom.
- Warranty is void in case of accident or abuse, or if purchaser attempts to repair, service, or alter the product in any way.
- Warranty does not cover replaceable and consumable parts (e.g., batteries, earseals) or damage resulting from replaceable parts.



FIRECOM®

firecom.com | 800-527-0555

Firecom, a division of Sonetics Corporation.